



Supplier of high quality industrial
round link chains



Chains for forestry

Square steel chain

High tensile chains e.g. for forestry works and for tire anti-slip chains.



DIMENSIONS

Nominal size	Square	Pitch	Internal width	External width	Weight
d x t	d x d	t	b ₁ min.	b ₂ max.	
mm					kg/m
7 x 24	7 x 7 ± 0,20	24 ± 0,2	11,5	27	1,16
8 x 28	8 x 8 ± 0,20	28 ± 0,3	12,5	30	1,8

MECHANICAL PROPERTIES

Nominal size	Square	Preload	Test load	Breaking load min.	Elongation at breaking load min.
d x t	d x d				
mm		kN			%
grade 80					
7 x 24	7 x 7 ± 0,20	3	53	70	10
8 x 28	8 x 8 ± 0,20	10	68	90	10
grade 100					
7 x 24	7 x 7 ± 0,20	3	60	80	10
8 x 28	8 x 8 ± 0,20	10	90	120	10





Supplier of high quality industrial
round link chains



Glob Chain Sp. z o.o.

Post code: 44-190
City: Knurów, Poland
Street: Przemysłowa 18
VAT: PL 9691636520

Contact:
+48 451 172 094
biuro@globchain.com.pl
www.globchain.com.pl